



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS.

UNITED STATES.

[Reports to the Surgeon-General, Public Health and Marine-Hospital Service.]

Report from Pensacola, Fla.—Enteric fever.

Acting Assistant Surgeon Kennedy reports, September 4, as follows: During the month of August, 1906, 15 cases of enteric fever were reported. Five of these cases came direct from Lockhart, Ala.

Mosquitoes of all varieties are very scarce.

STATISTICAL REPORTS OF STATES AND CITIES OF THE UNITED STATES, YEARLY AND MONTHLY.

CALIFORNIA—*San Diego*.—Month of August, 1906. Estimated population, 27,000. Total number of deaths, 56, including 10 from phthisis pulmonalis.

CONNECTICUT—*Hartford*.—Month of August, 1906. Estimated population, 95,000. Total number of deaths, 153, including enteric fever 4, whooping cough 5, and 11 from tuberculosis.

GEORGIA—*Columbus*.—Month of July, 1906. Estimated population, 20,764; white, 12,244; colored, 8,520. Total number of deaths, 34; white, 16; colored, 18, including enteric fever 1, and 5 from phthisis pulmonalis. Month of August, 1906. Total number of deaths, 35; white, 18; colored, 17, including enteric fever 2, whooping cough 1, and 2 from phthisis pulmonalis.

INDIANA—*Evansville*.—Month of August, 1906. Estimated population, 75,000. Total number of deaths, 72, including enteric fever 1, and 11 from tuberculosis.

IOWA—*Keokuk*.—Month of August, 1906. Estimated population, 16,000. Total number of deaths, 23, including enteric fever 1, and 2 from tuberculosis.

ILLINOIS—*Ottumwa*.—Month of August, 1906. Estimated population, 23,000. Total number of deaths, 23, including 3 from phthisis pulmonalis.

MASSACHUSETTS—*Newton*.—Month of August, 1906. Estimated population, 37,550. Total number of deaths, 35, including 1 from tuberculosis.

MINNESOTA—*Stillwater*.—Month of August, 1906. Census population, 12,345. Total number of deaths, 6, including 1 from tuberculosis.